JOURNAL OF ALLOYS AND COMPOUNDS VOLUME 198, NUMBERS 1–2, AUGUST 13, 1993

Contents

Letters

^{155}Gd Mössbauer effect and magnetic properties of $GdMn_{6-x}Cr_xGe_6$ L1
F.M. Mulder, R.C. Thiel (Leiden, Netherlands), J.H.V.J. Brabers, F.R. de Boer (Amsterdam, Netherlands) and K.H.J. Buschow (Eindhoven, Netherlands)

Magnetic, electric and thermal properties of $UNi_{10}Si_2$ and $UNi_8Cu_2Si_2$ intermetallics L5
W. Suski, A. Zaleski, D. Badurski, L. Folcik, K. Wochowski (Wrocław, Poland), B. Seidel, C. Geibel and F. Steglich (Darmstadt, Germany)

Zur Kristallstruktur von $Ba_6Sm_2Co_{2,5}Al_{1,5}O_{15}$ L9
M. Abed und Hk. Müller-Buschbaum (Kiel, Deutschland)

Selective sulphidation of Fe–Cr alloys. L11
J. Cieślak and S.M. Dubiel (Kraków, Poland)

Ternary phase equilibria in the (Cr, Mo, W)–In–P systems at 600 °C L15
M. Andersson (Uppsala, Sweden)

Discussions on the hysteresis behavior in the Zr-based Laves phases. L19
J.-M. Park, Y.-G. Kim and J.-Y. Lee (Taejon, South Korea)

Zur Kenntnis von $Ba_7Ru_4O_{15}Br_2$ L25
St. Scheske und Hk. Müller-Buschbaum (Kiel, Deutschland)

Review

Preparation, structural and magnetic properties and stability of interstitial Sm_2Fe_{17}-carbonitrohydrides 1
C.N. Christodoulou and T. Takeshita (Saitama, Japan)

Regular Papers

Preparation and crystal structure of $Na_7Cu_{12}S_{10}$, a mixed valent thiocuprate with a pseudo-one-dimensional structure 25
K.O. Klepp, M. Sing and H. Boller (Linz, Austria)

Rare earth separation using a chemical vapour transport process mediated by vapour complexes of the $LnCl_3$–$AlCl_3$ system. 31
K. Murase, K. Shinozaki, Y. Hirashima, K. Machida and G. Adachi (Osaka, Japan)

Crystal structure of the compound $Ce_7Pd_4Ge_2$ 39
A.V. Gribanov, Yu.D. Seropegin (Moscow, Russian Federation), O.I. Bodak, V.V. Pavlyuk, V.K. Pecharsky, O.L. Sologub and P.S. Salamakha (Lviv, Ukraine)

Magnetic properties of $LuFe_{10-x}Al_xSi_2$ quasi-ternaries compared with $UFe_{10-x}Al_xSi_2$ 43
A.V. Andreev (Tokyo, Japan), Ye.V. Scherbakova (Ekaterinburg, Russian Federation), T. Goto (Tokyo, Japan) and W. Suski (Wrocław, Poland)

Two-step ferromagnetic ordering of $Ce_2Si_{3-\delta}$ 47
P. Schobinger-Papamantellos (Zürich, Switzerland) and K.H.J. Buschow (Eindhoven, Netherlands)

The valence change from RE^{3+} to RE^{2+} (RE ≡ Eu, Sm, Yb) in SrB_4O_7: RE prepared in air and the spectral properties of RE^{2+} 51
Z. Pei, Q. Su and J. Zhang (Jilin, China)

Magnetic properties of $xUCo_{5.3}(1-x)UNi_5$ compounds. 55
E. Burzo, I. Lupşa and P. Lucaci (Cluj-Napoca, Romania)

Nuclear magnetic resonance of samarium in $Sm_xY_{2-x}Co_{17}$ 59
Cz. Kapusta (Cracow, Poland), P.C. Riedi (St. Andrews, UK) and K.H.J. Buschow (Eindhoven, Netherlands)

Dimorphism and magnetic properties of Dy_2BaCoO_5. 63
J. Hernández-Velasco and R. Sáez-Puche (Madrid, Spain)

Luminescence of Fe^{3+} in $LaPO_4$ 69
W. van Schaik and G. Blasse (Utrecht, Netherlands)

Elsevier Sequoia

Chemical syntheses by means of microwave digestion as a focused open-vessel system: structural properties of oxides and hydroxides as powders 73
M. Gasgnier, L. Albert, J. Derouet, L. Beaury (Meudon, France), A. Loupy, A. Petit (Orsay, France) and P. Jacquault (Paris, France)

Preparation, structure and properties of nanocrystalline FeMoSiB alloys. 85
X.D. Liu, J. Zhu, J. Jiang and J.T. Wang (Shenyang, China)

Zur Bildung von Drehmehrlingen mit pentagonaler Pseudosymmetrie beim Erstarrungsvorgang des Fe_4Al_{13} 91
M. Ellner und U. Burkhardt (Stuttgart, Deutschland)

Zur Kristallstruktur von $SrAl_8Ti_3O_{19}$ 101
M. Strunk und Hk. Müller-Buschbaum (Kiel, Deutschland)

Mechanically induced valence fluctuation and new f.c.c. phase formation in the immiscible Ce–Yb alloy system 105
E. Ivanov, K. Sumiyama, H. Yamauchi, K. Yanai and K. Suzuki (Sendai, Japan)

Low temperature specific heat and IR spectroscopy of EuD_2 and YbH_2. 111
M. Drulis (Wrocław, Poland)

Electronic transport properties of $La_xY_{1-x}Al_2$ alloys 117
A.T. Burkov (St. Petersburg, Russian Federation), E. Gratz, E. Bauer and R. Resel (Vienna, Austria)

Magnetic properties of rare-earth manganese compounds of the RMn_6Ge_6 type 127
J.H.V.J. Brabers, V.H.M. Duijn, F.R. de Boer (Amsterdam, Netherlands) and K.H.J. Buschow (Eindhoven, Netherlands)

New K_2NiF_4-type superconductors obtained by Cl_2 treatment: synthesis, neutron diffraction and X-ray absorption spectroscopy characterization. 133
C. Brisson, A. Tressaud, B. Chevalier, J. Etourneau (Talence, France), J.B. Goodenough (Austin, TX, USA), M.H. Tuilier (Mulhouse, France) and J.L. Soubeyroux (Grenoble, France)

The structure of ternary phases of rare earths with RCuGe composition 141
A. Iandelli (Genova, Italy)

Solid state reaction induced by post-milling annealing in the Fe–Si system. 143
N. Malhouroux-Gaffet (Nantes, France) and E. Gaffet (Vitry sur Seine, France)

Mechanism of mechanical alloying phase formation and related magnetic and mechanical properties in the Fe–Si system 155
M. Abdellaoui (Nantes, France), T. Barradi (Gif sur Yvette, France) and E. Gaffet (Nantes, France)

Resistivity and thermopower studies in La_3X ($X \equiv$ Al, Sn, In, Ru, Ir, Co, Ni, Ge, Ga) systems 165
C.S. Garde, J. Ray and G. Chandra (Bombay, India)

Zwei weitere oxidische Phasen mit 6L-Perowskitstruktur: $Ba_3CaRu_{1,5}Ta_{0,5}O_9$ und $Ba_3CaRu_{0,5}Ir_{1,5}O_9$. 173
St. Scheske und Hk. Müller-Buschbaum (Kiel, Deutschland)

Zur Synthese und Struktur von Cs_3FeSe_3 177
W. Bronger und U. Ruschewitz (Aachen, Deutschland)

Preparation of single-phase Cr_7C_3 by aluminothermic reduction 181
A. Biswas, K.U. Nair and D.K. Bose (Bombay, India)

A modified Johnson–Mehl–Avrami kinetic model of overall crystallization of Fe–Co–B metallic glasses 187
T. Spassov and V. Diakovich (Sofia, Bulgaria)

Zur Kristallstruktur von Silber-Lanthanoid-Oxomolybdaten $AgLnMo_2O_8$: Einkristalluntersuchungen an $AgSmMo_2O_8$ und $AgYbMo_2O_8$ mit einer Notiz über mikrokristallines Material für $Ln \equiv$ Y, La 193
M. Rath und Hk. Müller-Buschbaum (Kiel, Deutschland)

Author Index of Volume 198 197

Subject Index of Volume 198 199